


# Primers

HIGH PERFORMANCE UV CURABLE, WATER-BASED AND SOLVENT-BASED PRIMERS



Flint Group Narrow Web Primers have been developed to improve adhesion to synthetic and metallised substrates.

## The PRIMERS range:

- Can be overprinted with many of the Flint Group Narrow Web technologies.
- Provides improved adhesion on films, metallised films and foils.

PROPERTIES	BENEFITS
• Improved adhesion and scratch resistance	• Can use standard ink on difficult materials
• 1 ink series can be used on more substrates	• Reduced inventory
• Press ready	• Improved productivity

# Primers

PRODUCT CODE	TYPE	PE	PP	PVC	PET	FOIL	WITH INK TYPES	OTHER
UVB00100	UV-L	•••	••	••	••	••	UV	
HMF01105	WB-F	•••	•••	•••	•	•••	UV, WB, SB	
UVT00041	UV-F	•••	•	•	•	•••	UV	ADHESION TO HOT FOIL
UVT00095	UV-F	•••	•••	••	•••	•••	UV	

The information contained in this brief product presentation is based on long experience of Flint Group Narrow Web and on internal standardised tests. It is not to be interpreted as a warranty or guarantee in any form as conditions beyond our control can affect the quality of the printing. If there is any doubt, the user should always make every effort to ensure that the products used are appropriate for the purpose.

- Recommended
- Not recommended
- Material / Primer combination not tested

L - Letterpress  
 F - Flexo  
 UV - UV inks  
 SB - Solvent-based  
 WB - Water-based

**For more details on Primers, call your nearest Flint Group Narrow Web office or dealer.**

**Flint Group Narrow Web**  
 P.O.Box 1003  
 SE-231 25 Trelleborg, Sweden  
 www.flintgrp.com

T +46 410 59 200  
 F +46 410 59 397  
 info.narrowweb@flintgrp.com

The aim of our technical documents is to inform our customers about general values. However, the transferability of general values known from experience and laboratory results to concrete practical applications depends on a number of factors which are beyond our control. We therefore ask for your understanding that this advice document cannot be used as the basis for claims in law. Furthermore, the correct application for each product has to be checked carefully for suitability. For application details refer to Technical Data Sheet.

Product names followed by ® are trademarks registered by Flint Group Incorporated.